

# Easy-LIT

QUALITY LITTER MADE SIMPLE



# Easy-LIT

LESS NOISE    LESS DUST    MORE CONVENIENT



## 1 LIGHT AND HANDY

With its 35 kg weight and its front idler-wheel, Easy-LIT allows for immediate turning at the end of the chain and easily maneuvering around obstacles.

## 2 POULTRY PROTECTION

No need for a second person to move your animals away in front of the machine. Its shell allows you to work directly next to your poultry and protect them from injuries.

## 3 WORKS UNDER DRINKER LINES AND ON MOIST AREAS

No need to lift your equipment (drinker lines, plate, etc.). Its shell enable you to work close to the equipment and even push your drinking nipples, with no risk of breaking or spilling.



4

### NOISELESS

This quite **noiseless** machine thanks to its **electric** motor makes a regular litter maintenance possible without **stressing** the birds and ensures greater convenience while you work.

5

### ADJUSTABLE WORKING DEPTH

The **handle** features **5 mm notches** enabling you to **adjust** the depth of the tool **with only one hand**. This way you can **easily** adapt the machine to uneven litter.

6

### NO DUST

The **protective skirt** keeps dust and litter on the floor. It **prevents** your poultry and yourself from **inhaling dust**.

7

### PROTECTING YOUR CONCRETE SLAB

If the machine **hits** the concrete floor, a **safety device stops the motor** to protect both your slab and the equipment.

Video





# Easy-LIT

## FACT SHEET



### USE LESS BEDDING BETTER ANIMAL WELFARE

#### • Dimensions

Width 700 mm x Length 823 mm x Height 481 mm  
Working width of the rotating tool: 600 mm

#### • Battery life

2 hours - Lithium Iron Phosphate Batteries

#### • Motor power

200 W

#### • Recharge time

10 hours for a fully drained battery

#### • Weight

35 kg

#### • Indicator light

Battery level

#### • Protection and sealing

Dust-, ammonia- and water-resistant  
(please do not use a high-pressure washer!)

#### • User safety

"Dead man's handle" in case the operator falls or faints

#### • Equipment safety

Controlled motor/circuit breaker to stop immediately in case the tool hits the ground (protecting both the concrete slab and the motor)

**Designed and manufactured in France**



#### OCTOPUS BIOSAFETY

9, rue du Danemark  
56400 Auray - France  
info@octopusbiosafety.com - +33 (0)2 90 38 01 80  
www.tibot.fr - www.octopusbiosafety.com

